NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

1. SITE IDENTIFICATION

1.1 Type	1.2 Site code
C	BA8300031

1.3 Site name

Hutovo blato

1.4 First Compilation date	1.5 Update date
Wed Apr 09 2014	Thu Jul 31 2014

1.6 Respondent:

Name/Organisation:	Lada Lukić Bilela
Address:	Sarajevo
Email:	llbilela@gmail.com

1.7 Site indication and designation / classification dates

Date site classified as SPA:	
National legal reference of SPA designation	

Date site proposed as SCI:	
Date site confirmed as SCI:	
Date site designated as SAC:	
National legal reference of SAC designation:	

Explanation(s):	

2. SITE LOCATION

2.1 Site-centre location [decimal degrees]:

Longitude	Latitude
17.79060647	43.05963894

2.2 Area [ha]:

11384.80424024

2.3 Marine area [%]

0

2.4 Sitelength [km]:

58.26748719

2.5 Administrative region code and name

NUTS level 2 code	Region Name

2.6 Biogeographical Region(s)

3. ECOLOGICAL INFORMATION

3.1 Habitat types present on the site and assessment for them

Annex I Habitat types						Site assessment			
Code	PF	NP	Cover [ha]	Cave [number]	Data quality	A|B|C|D	A|B|C		
						Representativity	Relative Surface	Conservation	Global
3170			4		M	B		B	B
6420			1.56	0	M	B	A	C	B
8210			0.85		M	B	C	B	B
7230			5		G	B	B	B	B
5210			10.53		P	A	A	B	B
91E0	X		0.34		M	A	C	A	A
91F0			0.01		DD		C		C
9250			0.96		P	C	B	C	C

PF: for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
NP: in case that a habitat type no longer exists in the site enter: x (optional)
Cover: decimal values can be entered
Caves: for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
Data quality: G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

Species					Population in the site						Site assessment				
Group	Code	Scientific Name	S	NP	Type	Size		Unit	Cat.	Data quality	A|B|C|D	A|B|C			
						Min	Max		C|R|V|P		Pop.	Cons.	Isol.	Glob.
M	1352	Canis lupus	No	X	c				R	P		C	C	C
M	1355	Lutra lutra	No	X	c				P	P		C	C	C

M	6338	Dinaromys bogdanovi	No	X	r				V	P		C	C	C
R	1217	Testudo hermanni	Yes	X	p	20	100	i	C	G	C	B	C	B
R	1220	Emys orbicularis	Yes	X	p	2	8	i	C	G	B	B	C	B
R	1279	Elaphe quatuorlineata	Yes	X	p	2	6	i	V	M	A	C	C	C
I	1043	Lindenia tetraphylla	Yes	X	p	1	4	adults	P	P	A	C	C	B
A	1193	Bombina variegata	Yes	X	p	2	10	i	V	G	C	B	C	B
B	A229	Alcedo atthis	No	X	r				P	P		C	C	C
B	A109	Alectoris graeca	No	X	r	10	20	p		M	C	C	C	C
B	A255	Anthus campestris	No	X	r				P	P		C	C	C
B	A029	Ardea purpurea	No	X	r	3	7	p		M	C	B	C	C
B	A091	Aquila chrysaetos	No	X	c				V	P		C	C	C
B	A404	Aquila heliaca	No		c				V	P		C	C	C
B	A090	Aquila clanga	No		c				V	P		C	C	C
B	A089	Aquila pomarina	No	X	c				R	P		C	C	C
F	6152	Lampetra zanandreai	Yes	X	p			i	C	P	B	C	C	B
F	1103	Alosa fallax	Yes	X	p			i	C	P	B	C	C	C
F	1107	Salmo marmoratus	Yes	X	p			i	P	G	C	C	C	C
F	6339	Salmothymus (Salmo) obtusirostris	Yes	X	p			i	P	P	C	C	C	C
F	6344	Chondrostoma knerii	Yes	X	p			i	C	P	B	C	C	C
F	6348	Knipowitschia croatica	Yes	X	p			i	C	P	A	C	C	C
F	6347	Squalius svallize	Yes	X	p			i	P	P	C	C	C	C
B	A060	Aythya nyroca	No	X	r	15	30	p		M	A	C	C	C
B	A024	Ardeola ralloides	No	X	r	20	35	p		M		B	C	C
B	A393	Phalacrocorax pygmeus	No	X	r	573	855	p		M	A	B	C	C
B	A293	Acrocephalus melanopogon	No	X	c				R	P		C	C	C
B	A294	Acrocephalus paludicola	No	X	c				R	P		C	C	C
B	A026	Egretta garzetta	No	X	r	40	60	p		M	B	C	C	C
B	A196	Chlidonias hybridus	No	X	r	10	60	p		M	B	C	C	C
B	A166	Tringa glareola	No	X	c				P	P		C	C	C
B	A397	Tadorna ferruginea	No	X	c					P	D	C	C	C
B	A193	Sterna hirundo	No	X	c				P	P		C	C	C
B	A190	Sterna caspia	No	X	c					P	D	C	C	C
B	A120	Porzana parva	No	X	c				P	P		C	C	C
B	A119	Porzana porzana	No	X	c				P	P		C	C	C
B	A121	Porzana pusilla	No	X	r				P	P		C	C	C
B	A032	Plegadis falcinellus	Yes	X	r	2	22	p		M	A	C	C	C

B	A007	Podiceps auritus	No	X	c				V	P	D	C	C	C
B	A021	Botaurus stellaris	No	X	r	2	3	p		M	C	C	C	C
B	A396	Branta ruficollis	No	X	c				V	P	D	C	C	
B	A215	Bubo bubo	No	X	r	3	5	p		M	C	C	C	C
B	A133	Burhinus oedicnemus	No	X	c				R	P		C	C	C
B	A403	Buteo rufinus	No	X	c				P	P		C	C	C
B	A243	Calandrella brachydactyla	No	X	c				P	P		C	C	C
B	A082	Circus cyaneus	No	X	w				P	P		C	C	C
B	A027	Egretta alba	No	X	c				P	P		C	C	C
B	A197	Chlidonias niger	No	X	c				R	P		C	C	C
B	A031	Ciconia ciconia	No	X	c				P	P		C	C	C
B	A030	Ciconia nigra	No	X	c				R	P		C	C	C
B	A231	Coracias garrulus	No		c					P	D	C	C	C
B	A151	Philomachus pugnax	No	X	c				P	M		C	C	C
B	A072	Pernis apivorus	No	X	c				P	P		C	C	C
B	A034	Platalea leucorodia	No	X	c				P	P		C	C	C
B	A127	Grus grus	No	X	c	100	1500	i		M	B	C	C	C
B	A338	Lanius collurio	No	X	r				P	P		C	C	C
B	A339	Lanius minor	No	X	r	5	15	i		M	C	C	C	C
B	A094	Pandion haliaetus	No	X	c				P	P		C	C	C
B	A080	Circaetus gallicus	No	X	r	1	3	p		M	C	C	C	C
B	A081	Circus aeruginosus	No	X	r				P	P		C	C	C
B	A083	Circus macrourus	No	X	c				R	P		C	C	C
B	A084	Circus pygargus	No	X	r				P	P		C	C	C
B	A122	Crex crex	No	X	c				R	P		C	C	C
B	A038	Cygnus cygnus	No	X	c				V	P		C	C	C
B	A238	Dendrocopos medius	No	X	c				P	P		C	C	C
B	A239	Dendrocopos leucotos	No	X	c				R	P		C	C	C
B	A101	Falco biarmicus	No	X	r				V	P		C	C	C
B	A098	Falco columbarius	No	X	c				P	P		C	C	C
B	A103	Falco peregrinus	No	X	c				P	P		C	C	C
B	A020	Pelecanus crispus	No							P				
B	A077	Neophron percnopterus	No		c				R	P				
B	A078	Gyps fulvus	No		c				V	P				
B	A071	Oxyura leucocephala	No	X	c				R	P		C	C	C
B	A023	Nycticorax nycticorax	No	X	r	5	10	p		P	B	C	C	C
B	A073	Milvus migrans	No	X	c				V	P			C	C
B	A068	Mergus albellus	No	X	c				V	P		C	C	C
B	A075	Haliaeetus albicilla	No	X	c	1	2	i	P	P		C	C	C

B	A092	Hieraaetus pennatus	No	X	c				R	P		C	C	C
B	A176	Larus melanocephalus	No	X	c				R	P		C	C	C
B	A177	Larus minutus	No	X	c				R	P		C	C	C
B	A002	Gavia arctica	No	X	c				R	P		C	C	C
B	A001	Gavia stellata	No	X	c				R	P		C	C	C
B	A154	Gallinago media	No	X	c				P	P		C	C	C
B	A189	Gelochelidon nilotica	No	X	c				V	P		C	C	C
B	A135	Glareola pratincola	No	X					R	P		C	C	C
B	A272	Luscinia svecica	No	X	c				P	P		C	C	C
B	A246	Lullula arborea	No	X	c				P	P		C	C	C
B	A131	Himantopus himantopus	No	X	c				P	P		C	C	C
B	A022	Ixobrychus minutus	No	X	r				P	P		C	C	C
B	A159	Numenius tenuirostris	No		c				R	P				
M	1305	Rhinolophus euryale	Yes	X				i	P	G	C	C	C	C
M	1304	Rhinolophus ferrumequinum	Yes	X				i	P	G	C	C	C	C
M	1303	Rhinolophus hipposideros	Yes	X				i	P	G	C	B	C	C
M	1306	Rhinolophus blasii	Yes	X				i		DD	C	C	C	C
M	1324	Myotis myotis	Yes	X				i	P	G	C	C	C	C
M	1307	Myotis blythii	Yes	X				i	P	M	C	C	C	C
M	1310	Miniopterus schreibersii	Yes	X				i	P	M	C	C	C	C
M	1316	Myotis capaccinii	Yes	X				i	P	M	C	C	C	C
M	1321	Myotis emarginatus	Yes	X				i	P	M	C	C	C	C

Group: A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
S: in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
NP: in case that a species is no longer present in the site enter: x (optional)
Type: p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
Unit: i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see reference portal)
Abundance categories (Cat.): C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
Data quality: G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

Species					**Population in the site**				**Motivation**					
Group	**CODE**	**Scientific Name**	**S**	**NP**	**Size**		**Unit**	**Cat.**	**Species Annex**		**Other categories**			
					Min	**Max**		**C|R|V|P**	**IV**	**V**	**A**	**B**	**C**	**D**

Group: A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles

CODE: for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name

S: in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes

NP: in case that a species is no longer present in the site enter: x (optional)

Unit: i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see reference portal)

Cat.: Abundance categories: C = common, R = rare, V = very rare, P = present

Motivation categories: IV, V: Annex Species (Habitats Directive), **A:** National Red List data; **B:** Endemics; **C:** International Conventions; **D:** other reasons

4. SITE DESCRIPTION

4.1 General site character

Habitat class	% Cover
Total Habitat Cover	0

Other Site Characteristics

The most important Natura 2000 habitat types in site are Calcareous fens with Cladium mariscus and species of the Caricion davallianae and Mediterranean temporary ponds

4.2 Quality and importance

This area is most important for its wetland habitats and for nesting, feeding and wintering of many bird species.

4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

Negative Impacts			
Rank	Threats and pressures [code]	Pollution (optional) [code]	inside/outside [i|o|b]

Positive Impacts			
Rank	Activities, management [code]	Pollution (optional) [code]	inside/outside [i|o|b]

Rank: H = high, M = medium, L = low
Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification,
T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions
i = inside, o = outside, b = both

4.4 Ownership (optional)

Type		[%]
Public	National/Federal	0
	State/Province	0
	Local/Municipal	0
	Any Public	0
Joint or Co-Ownership		0
Private		0
Unknown		0
sum		0

4.5 Documentation

Link(s):

5. SITE PROTECTION STATUS (optional)

5.1 Designation types at national and regional level:

Code	Cover [%]

5.2 Relation of the described site with other sites:

designated at national or regional level:

Type code	Site name	Type	Cover [%]

designated at international level:

Type	Site name	Type	Cover [%]

5.3 Site designation (optional)

---

6. SITE MANAGEMENT

6.1 Management body(s)

6.2 Management Plan(s):

An actual management plan does exist:

- ☐ Yes
- ☐ No, but in preparation
- ☐ No

6.3 Conservation measures (optional)

---

7. MAP OF THE SITES

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

☐ Yes ☐ No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).