



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

1. SITE IDENTIFICATION

| | |
|----------------------|-----------------------------------|
| 1.1 Type C | 1.2 Site code BA8300064 |
|----------------------|-----------------------------------|

1.3 Site name

| |
|------------------------|
| Prenj-Čvrsnica-Čabulja |
|------------------------|

| | |
|--|---|
| 1.4 First Compilation date Mon Apr 14 2014 | 1.5 Update date Wed Jul 23 2014 |
|--|---|

1.6 Respondent:

| | |
|---------------------------|---------------------------|
| Name/Organisation: | Edina Muratović |
| Address: | Sarajevo |
| Email: | edinalmuratovic@yahoo.com |

1.7 Site indication and designation / classification dates

| | |
|---|--|
| Date site classified as SPA: | |
| National legal reference of SPA designation | |
| Date site proposed as SCI: | |
| Date site confirmed as SCI: | |
| Date site designated as SAC: | |
| National legal reference of SAC designation: | |
| Explanation(s): | |

2. SITE LOCATION

2.1 Site-centre location [decimal degrees]:

Longitude

17.75481078

Latitude

43.59037992

2.2 Area [ha]:

2.3 Marine area [%]

2.4 Sitelength [km]:

267.79978525

2.5 Administrative region code and name

NUTS level 2 code

Region Name

2.6 Biogeographical Region(s)

3. ECOLOGICAL INFORMATION

3.1 Habitat types present on the site and assessment for them

| Annex I Habitat types | | | | | | Site assessment | | | |
|-----------------------|----|----|------------|---------------|--------------|------------------|------------------|--------------|--------|
| Code | PF | NP | Cover [ha] | Cave [number] | Data quality | A B C D | A B C | | |
| | | | | | | Representativity | Relative Surface | Conservation | Global |
| 8310 | | | 2 | 12 | G | B | C | B | A |
| 62A0 | | | 20 | | G | A | A | B | B |
| 4060 | | | 1.12 | | M | A | B | A | A |
| 8210 | | | 10.56 | | G | A | B | A | A |
| 8140 | | | 0.48 | | G | A | B | A | A |
| 4070 | | | 1.73 | | G | A | B | A | A |
| 6170 | | | 22.4 | | G | A | B | A | A |
| 3240 | | | 0.17 | 0 | G | A | B | A | A |
| 8120 | | | 0.15 | | G | A | A | A | A |
| 6430 | | | | | G | A | C | A | A |
| 91K0 | | | 23.4 | | G | B | B | A | A |
| 9530 | X | | 1.2 | | G | A | B | A | A |
| 95A0 | | | 4.9 | | G | A | B | A | A |
| 91E0 | X | | 0.1 | | G | B | C | B | B |
| 4080 | | | 0.1 | | P | A | B | A | A |
| 5130 | | | 0.1 | | DD | | C | | |
| 9180 | X | | 0.3 | | DD | | B | | |
| 9140 | | | 2.2 | | P | B | B | B | B |
| 9250 | | | 0.2 | | DD | | B | | |
| 91R0 | | | 0.5 | | P | | B | | |

PF: for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.

NP: in case that a habitat type no longer exists in the site enter: x (optional)

Cover: decimal values can be entered

Caves: for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.

Data quality: G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of

Directive 92/43/EEC and site evaluation for them

| Species | | | | | Population in the site | | | | | | Site assessment | | | |
|---------|------|-----------------------------------|-----|----|------------------------|------|-------|------|---------|--------------|-----------------|-------|-------|-------|
| Group | Code | Scientific Name | S | NP | Type | Size | | Unit | Cat. | Data quality | A B C D | A B C | | |
| | | | | | | Min | Max | | C R V P | | Pop. | Cons. | Isol. | Glob. |
| M | 6338 | Dinaromys bogdanovi | No | X | r | | | | | M | B | B | C | C |
| M | 1352 | Canis lupus | No | X | r | | | | | P | C | B | C | C |
| M | 1371 | Rupicapra rupicapra balcanica | No | X | r | | | | | P | B | C | C | C |
| M | 1354 | Ursus arctos | No | X | r | | | | | P | B | B | C | C |
| M | 1361 | Lynx lynx | No | X | | | | | R | P | | C | C | C |
| I | 6199 | Euplagia quadripunctaria | Yes | X | p | 5 | 30 | i | R | P | B | C | C | B |
| I | 1065 | Euphydryas aurinia | Yes | X | p | 500 | 5000 | i | C | G | B | B | C | B |
| I | 1083 | Lucanus cervus | Yes | X | p | 1000 | 10000 | i | C | G | B | B | C | B |
| I | 1089 | Morimus funereus | Yes | X | p | 100 | 1000 | i | R | P | B | B | B | C |
| A | 1193 | Bombina variegata | Yes | X | p | 100 | 1000 | i | R | G | B | B | C | B |
| R | 1217 | Testudo hermanni | Yes | X | p | 50 | 250 | i | C | G | C | B | C | B |
| R | 1298 | Vipera ursinii | Yes | X | p | 2 | 10 | i | V | M | A | C | C | C |
| F | 1107 | Salmo marmoratus | Yes | X | p | | | i | P | G | C | C | C | C |
| F | 1163 | Cottus gobio | Yes | X | p | | | i | P | G | C | B | C | B |
| F | 1154 | Pomatoschistus canestrinii | Yes | X | p | | | i | P | P | C | C | C | C |
| F | 6339 | Salmothymus (Salmo) obtusirostris | Yes | X | p | | | i | C | G | A | C | C | C |
| F | 6347 | Squalius squalize | Yes | X | p | | | i | P | G | C | C | C | C |
| B | A223 | Aegolius funereus | No | X | r | | | | P | P | | C | C | C |
| B | A166 | Tringa glareola | No | X | c | | | | P | P | | C | C | C |
| B | A108 | Tetrao urogallus | No | X | r | 10 | 15 | i | | M | | C | C | C |
| B | A034 | Platalea leucorodia | No | X | c | | | | P | P | | C | C | C |
| B | A241 | Picoides tridactylus | No | X | r | | | | P | P | | C | B | C |
| B | A077 | Neophron percnopterus | No | | c | | | | V | P | | C | C | C |
| B | A246 | Lullula arborea | No | X | r | | | | P | P | | C | C | C |
| B | A338 | Lanius collurio | No | X | r | | | | P | P | | C | C | C |
| B | A339 | Lanius minor | No | X | r | | | | P | P | | C | C | C |
| M | 1355 | Lutra lutra | No | X | r | | | | P | P | | C | C | C |
| B | A092 | Hieraaetus pennatus | No | X | c | | | | R | P | | C | C | C |
| B | A078 | Gyps fulvus | No | X | c | | | | R | P | | C | C | C |
| B | A076 | Gypaetus barbatus | No | | r | | | | R | P | | C | C | C |
| B | A109 | Alectoris graeca | No | X | r | | | | P | P | | C | C | C |
| | | Anthus | | | | | | | | | | | | |

| | | | | | | | | | | | | | | |
|---|------|----------------------------------|-----|---|---|---|------|------------|---|----|---|---|---|---|
| B | A255 | campestris | No | X | r | | | | P | P | | C | C | C |
| B | A091 | Aquila chrysaetos | No | X | r | 1 | 3 | p | | P | C | C | C | C |
| B | A104 | Bonasa bonasia | No | X | r | | | | P | P | | C | C | C |
| B | A215 | Bubo bubo | No | X | r | | | | P | P | | C | C | C |
| B | A224 | Caprimulgus europaeus | No | X | r | | | | P | P | | C | C | C |
| B | A080 | Circaetus gallicus | No | X | r | | | | P | P | | C | C | C |
| B | A084 | Circus pygargus | No | X | c | | | | P | P | | C | C | C |
| B | A379 | Emberiza hortulana | No | X | r | | | | P | P | | C | C | C |
| B | A101 | Falco biarmicus | No | X | c | | | | R | P | | C | C | C |
| B | A103 | Falco peregrinus | No | X | c | | | | P | P | | C | C | C |
| P | 1419 | Botrychium simplex | No | X | p | | | grids1x1 | V | M | A | B | A | B |
| P | 1473 | Aquilegia kitaibelii | Yes | X | p | | | shoots | R | DD | | | | |
| M | 1305 | Rhinolophus euryale | No | X | p | | | i | P | G | C | B | C | B |
| M | 1304 | Rhinolophus ferrumequinum | No | X | p | | | i | P | G | C | B | C | B |
| M | 1303 | Rhinolophus hipposideros | No | X | p | | | i | P | G | C | B | C | B |
| M | 1307 | Myotis blythii | No | X | p | | | i | P | G | C | B | C | B |
| M | 1324 | Myotis myotis | No | X | p | | | i | P | M | C | B | C | B |
| M | 1310 | Miniopterus schreibersii | No | X | p | | | i | P | G | C | B | C | B |
| P | 4072 | Cerastium dinaricum | No | X | p | 0 | 5000 | localities | V | M | A | B | A | A |
| P | 4101 | Scilla litardierei | No | X | | | | | R | M | C | B | A | B |
| P | 6184 | Pulsatilla vulgaris ssp. grandis | No | X | | | | | V | G | B | B | A | B |
| P | 4089 | Arabis scopoliana | No | X | | | | | C | G | B | A | C | A |
| P | 4070 | Campanula serrata | No | X | | | | | R | G | B | A | B | A |
| P | 1604 | Eryngium alpinum | No | X | p | | | | C | G | B | A | C | A |
| P | 1902 | Cypripedium calceolus | Yes | X | | | | i | V | DD | | | | |
| I | 1087 | Rosalia alpina | No | X | p | | | | C | G | B | A | C | A |
| I | 1088 | Cerambyx cerdo | No | X | p | | | | C | G | C | B | C | |

Group: A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles

S: in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes

NP: in case that a species is no longer present in the site enter: x (optional)

Type: p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)

Unit: i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see reference portal)

Abundance categories (Cat.): C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information

Data quality: G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

| Species | | | | | Population in the site | | | | Motivation | | | | | |
|---------|------|---------------------------|----|----|------------------------|-----|------|---------|---------------|---|------------------|---|---|---|
| Group | CODE | Scientific Name | S | NP | Size | | Unit | Cat. | Species Annex | | Other categories | | | |
| | | | | | Min | Max | | C R V P | IV | V | A | B | C | D |
| M | 1309 | Pipistrellus pipistrellus | No | X | | | i | P | X | | | | | |
| M | 1331 | Nyctalus leisleri | No | X | | | i | P | X | | | | | |
| M | 1322 | Myotis nattereri | No | X | | | i | P | X | | | | | |

Group: A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles

CODE: for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name

S: in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes

NP: in case that a species is no longer present in the site enter: x (optional)

Unit: i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see reference portal)

Cat.: Abundance categories: C = common, R = rare, V = very rare, P = present

Motivation categories: IV, V: Annex Species (Habitats Directive), A: National Red List data; B: Endemics; C: International Conventions; D: other reasons

4. SITE DESCRIPTION

4.1 General site character

| Habitat class | % Cover |
|---------------------|---------|
| Total Habitat Cover | 0 |

Other Site Characteristics

The most represented Natura 2000 habitat types in site are Alpine and subalpine calcareous grasslands, Eastern sub-mediterranean dry grasslands, Calcareous rocky slopes with chasmophytic vegetation

4.2 Quality and importance

The main quality and importance of the site are well preserved alpine ecosystems with natural processes in place.

4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

| Negative Impacts | | | |
|------------------|------------------------------|-----------------------------|------------------------|
| Rank | Threats and pressures [code] | Pollution (optional) [code] | inside/outside [i o b] |

| Positive Impacts | | | |
|------------------|-------------------------------|-----------------------------|------------------------|
| Rank | Activities, management [code] | Pollution (optional) [code] | inside/outside [i o b] |

Rank: H = high, M = medium, L = low

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification,

T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions

i = inside, o = outside, b = both

4.4 Ownership (optional)

| Type | [%] |
|--------|------------------|
| Public | National/Federal |
| | State/Province |
| | Local/Municipal |
| | Any Public |

| | |
|-----------------------|---|
| Joint or Co-Ownership | 0 |
| Private | 0 |
| Unknown | 0 |
| sum | 0 |

4.5 Documentation

Link(s):

5. SITE PROTECTION STATUS (optional)

5.1 Designation types at national and regional level:

| | |
|------|-----------|
| Code | Cover [%] |
|------|-----------|

5.2 Relation of the described site with other sites:

designated at national or regional level:

| | | | |
|-----------|-----------|------|-----------|
| Type code | Site name | Type | Cover [%] |
|-----------|-----------|------|-----------|

designated at international level:

| | | | |
|------|-----------|------|-----------|
| Type | Site name | Type | Cover [%] |
|------|-----------|------|-----------|

5.3 Site designation (optional)

6. SITE MANAGEMENT

6.1 Management body(s)

6.2 Management Plan(s):

An actual management plan does exist:

- ☐ Yes
☐ No, but in preparation
☐ No

6.3 Conservation measures (optional)

7. MAP OF THE SITES

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

☐ Yes ☐ No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).